
Introduction to Astronomy

HW080303

due in one week

- 1. Which gives a more accurate measure of a star's surface temperature, its color ratios or its spectral lines? Explain your reasoning.
- 2. Give 2 reasons why a visual binary star is unlikely to also be a spectroscopic binary star.
- 3. How far away is a star that has a proper motion of 0.08 arcseconds per year and a tangential velocity of 40 km/s? For a star at this distance, what would its tangential velocity have to be in order for it to exhibit the same proper motion as Barnard's star?
- 4. The visual binary 70 Ophiuchi has a period of 87.7 years. The parallax of 70 Ophiuchi is 0.2 arcseconds, and the apparent length of the semimajor axis as seen through a telescope is 4.5 arcsec. (a) What is the distance to 70 Ophiuchi in parsecs? (b) What is the actual length of the semimajor axis in AU? (c) What is the sum of the masses of the two stars in solar masses? Also see the figure in p. 467 in the textbook.



5. Search the World Wide Web for information about *Gaia*, a European Space Agency (ESA) spacecraft planned to extend the work carried out by *Hipparcos*. When is *Gaia* planned to be launched? How will it compare to *Hipparcos* in terms of performance? For how many more years will it be able to measure parallaxes? What other types of research will it carry out?